



TEST REPORT
IEC 60598-2-24
Luminaires
Part 2: Particular requirements
Section 24: Luminaires with limited surface temperature

Report Number.....: LCSB12034002S
Date of issue.....: December 20, 2024
Total number of pages.....: 15 pages

Name of Testing Laboratory
preparing the Report.....: Shenzhen Southern LCS Compliance Testing Co., Ltd.

Applicant's name.....: RN Solutions ApS
Address.....: Hagensvej 14, 9530 Støvring, Denmark

Test specification:
Standard.....: IEC 60598-2-24:2013 used in conjunction with IEC 60598-1:2020
Test procedure.....: Test Report
Non-standard test method.....: N/A

Test Report Form No.....: IEC60598_2_24G
Test Report Form(s) Originator.....: Intertek Semko AB
Master TRF.....: 2018-04

Copyright © 2018 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

General disclaimer:

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the Testing Laboratory, responsible for this Test Report.



Shenzhen Southern LCS Compliance Testing Co., Ltd.
Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



| | | |
|--|---|--|
| Test item description.....: | Hawkeye 1 UFO LED | |
| Trade Mark.....: | N/A | |
| Manufacturer.....: | RN Solutions ApS | |
| Address.....: | Hagensvej 14, 9530 Støvring, Denmark | |
| Model/Type reference.....: | RNSHB100CE0HPS4KD120 | |
| Ratings.....: | 120-277V~, 50/60Hz, 100W, IP65, ta45°C, Class I Size: Φ258*139mm | |
| <input checked="" type="checkbox"/> | Testing Laboratory: | |
| Testing location/ address.....: | Shenzhen Southern LCS Compliance Testing Co., Ltd. Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China | |
| Tested by.....: | Alyson Zhang (Engineer) | |
| Check by.....: | Torres He (Director) | |
| Approved by.....: | Jesse Liu (Manager) | |
| List of Attachments (including a total number of pages in each attachment): | | |
| Attachment No. 1: Photo documentation. | | |
| Summary of testing: | | |
| Tests performed (name of test and test clause): This product has obtained CE certification, so this report only evaluates clauses 24.13 and 24.14 of IEC 60598-2-24. | Testing location: Shenzhen Southern LCS Compliance Testing Co., Ltd. Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China | |
| Summary of compliance with National Differences: | | |
| List of countries addressed EN 60598-2-24:2013; EN IEC 60598-1:2021+A11:2022 | | |






Copy of marking plate:

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBs that own these marks.

Hawkeye 1 UFO LED
Model: RNSHB100CE0HPS4KD120
120-277V~, 50/60Hz, 100W

   **IP65** ta45°C

RN Solutions ApS
Importer: xxxxxxxx
Address: xxxxxxxx



: "caution, electric shock risk" symbol, height of this marks least 15mm.

Remarks:

1. Height of CE mark at least 5mm, height of WEEE symbol should not less than 7mm, height of other marks at least 5mm, height of letters and numerals at least 2mm.
2. According to the EU directives which have been aligned with EU NLF (new legislative framework), both of manufacturer and importer's name and address shall be affixed on the product or, where that is not possible, on its packaging or in a document accompanying the product before the product is placed on the EU market.






| Test item particulars : | | | | | | | | | |
|--|--|---------------|------------------|---------------|---------|------|---------------|---|------------------|
| Classification of installation and use : | Fixed luminaires for indoor and outdoor use | | | | | | | | |
| Supply Connection : | Supply cord | | | | | | | | |
| Protection Class : | Class I | | | | | | | | |
| Degree of Protection : | IP65 | | | | | | | | |
| Possible test case verdicts: | | | | | | | | | |
| - test case does not apply to the test object..... : | N/A | | | | | | | | |
| - test object does meet the requirement..... : | P (Pass) | | | | | | | | |
| - test object does not meet the requirement..... : | F (Fail) | | | | | | | | |
| Testing : | | | | | | | | | |
| Date of receipt of test item : | December 03, 2024 | | | | | | | | |
| Date (s) of performance of tests : | December 03, 2024 - December 13, 2024 | | | | | | | | |
| General remarks: | | | | | | | | | |
| <p>"(See Enclosure #)" refers to additional information appended to the report. "(See appended table)" refers to a table appended to the report. Clause numbers with "*" were not within the scope of CNAS recognition. The general information of applicant and manufacturer (such as the name and address), product name, model/type reference, trademark and other similar information contained in this report are all provided by the applicant, the laboratory is not responsible for verifying its authenticity.</p> <p>Throughout this report a <input checked="" type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.</p> | | | | | | | | | |
| Modified Information | | | | | | | | | |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Version</th> <th style="width: 25%;">Report No.</th> <th style="width: 25%;">Revision Date</th> <th style="width: 25%;">Summary</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">V1.0</td> <td style="text-align: center;">LCSB12034002S</td> <td style="text-align: center;">/</td> <td style="text-align: center;">Original Version</td> </tr> </tbody> </table> | | Version | Report No. | Revision Date | Summary | V1.0 | LCSB12034002S | / | Original Version |
| Version | Report No. | Revision Date | Summary | | | | | | |
| V1.0 | LCSB12034002S | / | Original Version | | | | | | |
| Manufacturer's Declaration per sub-clause 4.2.5 of IEC 60529: | | | | | | | | | |
| The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided..... : | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> Not applicable | | | | | | | | |
| When differences exist; they shall be identified in the General product information section. | | | | | | | | | |
| Name and address of factory (ies) : Same as manufacturer | | | | | | | | | |





| IEC 60598-2-24 | | | |
|----------------|---|---|---------|
| Clause | Requirement + Test | Result - Remark | Verdict |
| 24.5 | CLASSIFICATION | | P |
| | Luminaires shall be classified in accordance with the provisions of Section 2 of IEC 60598-1 | Class I | P |
| | a) Luminaire where no unusual accumulation of dust is expected | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | — |
| | b) Luminaire where an accumulation of non-conductive dust may be expected | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | — |
| | c) Luminaire where an accumulation of conductive dust may be expected | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | — |
| 24.6 | MARKING | | P |
| | The provisions of Section 3 of IEC 60598-1 apply together with the following requirements | | P |
| 24.6.1 (-) | Symbol for luminaire with limited surface temp. | | P |
| | Marking visible |  | P |
| 24.6.2 (-) | Classification of the luminaire according 24.5 in manufacturers literature | | P |
| 24.7 | CONSTRUCTION | | P |
| | The provisions of Section 4 of IEC 60598-1 apply, together with the requirements of 24.7.1 and 24.7.2 below | | P |
| 24.7.1 (-) | Degree of protection | | P |
| | IP4X at least | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | N/A |
| | IP5X if presence of dust | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> | N/A |
| | IP6X if presence of conductive dust | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | P |
| | At least IP 5X or IP6X for certain locations according IEC 60364-4-42 | | P |
| 24.7.2 (-) | Applicable surfaces comply with requirements of horizontal surfaces | | P |
| | Vertical surfaces not complying with spacing requirements in 24.13 comply with the limits for horizontal surfaces | | P |
| 24.8 | CREEPAGE DISTANCES AND CLEARANCES | | N/A |
| | The provisions of Section 11 of IEC 60598-1 apply | | N/A |





| IEC 60598-2-24 | | | |
|----------------|---|-----------------|---------|
| Clause | Requirement + Test | Result - Remark | Verdict |
| 24.9 | PROVISION FOR EARTHING | | N/A |
| | The provisions of Section 7 of IEC 60598-1 apply | | N/A |
| 24.10 | TERMINALS AND ELECTRICAL CONNECTIONS | | N/A |
| | The provisions of Sections 14 and 15 of IEC 60598-1 apply | | N/A |
| 24.11 | EXTERNAL AND INTERNAL WIRING | | N/A |
| | The provisions of Section 5 of IEC 60598-1 apply | | N/A |
| 24.12 | PROTECTION AGAINST ELECTRIC SHOCK | | N/A |
| | The provisions of Section 8 of IEC 60598-1 apply | | N/A |
| 24.13 | ENDURANCE TEST AND THERMAL TEST | | P |
| | If IP > IP 20 relevant test of (12.4), (12.5) and (12.6) after (9.2) before (9.3) specified in 24.14 | | — |
| | The provisions of Section 12 of IEC 60598-1 apply, together with the requirements of 24.13.1 to 24.13.3 below | | P |
| 24.13 (-) | Temperature limit for vertical surfaces with gap < 30 mm | (see Annex 1) | P |
| 24.13.1 (-) | Special temperature limits – normal operation | (see Annex 1) | P |
| 24.13.2 (-) | Special temperature limits – abnormal operation | (see Annex 1) | N/A |
| 24.13.3 (-) | Special temperature limits – fault conditions | (see Annex 1) | N/A |
| 24.14 | RESISTANCE TO DUST AND MOISTURE | | P |
| | The order of tests as specified in clause 24.13 | | P |
| | The provisions of Section 9 of IEC 60598-1 apply | IP65 | P |
| 24.15 | INSULATION RESISTANCE AND ELECTRIC STRENGTH | | N/A |
| | The provisions of Section 10 of IEC 60598-1 apply | | N/A |





| IEC 60598-2-24 | | | |
|----------------|---|-----------------|---------|
| Clause | Requirement + Test | Result - Remark | Verdict |
| 24.16 | RESISTANCE TO HEAT, FIRE AND TRACKING | | N/A |
| | The provisions of Section 13 of IEC 60598-1 apply | | N/A |



Shenzhen Southern LCS Compliance Testing Co., Ltd.
Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



| IEC 60598-2-24 | | | |
|----------------|--------------------|-----------------|---------|
| Clause | Requirement + Test | Result - Remark | Verdict |

| ANNEX 1 | TABLE: Temperature measurements, thermal tests of Section 12 | | P |
|---------|--|---|---|
| | Type reference.....: | RNSHB100CE0HPS4KD120 | — |
| | Lamp used.....: | LED module | — |
| | Lamp control gear used.....: | SS-120CNL-E260B | — |
| | Mounting position of luminaire.....: | See product manual | — |
| | Supply wattage (W).....: | 100,8W | — |
| | Supply current (A).....: | 0,364A | — |
| | Calculated power factor.....: | 0,944 | — |
| | Temperatures in test 1 - 4 below are corrected for ta (°C) | 45 | — |
| | - abnormal operating mode.....: | Short-circuited output of LED driver. LED driver protection immediately, no temperature values were recorded. | — |
| | - test 1: rated voltage | -- | — |
| | - test 2: 1,06 times rated voltage or 1,05 times rated wattage or 1,1 times constant voltage/current | 1,06x277V | — |
| | - test 3: Load on wiring to socket-outlet, 1,06 times voltage or 1,05 times wattage.....: | -- | — |
| | Through wiring or looping-in wiring loaded by a current of A during the test | -- | — |
| | - test 4: 1,1 times rated voltage or 1,05 times rated wattage or 1,1 times constant voltage/current or 130/150% of rated input voltage.....: | -- | — |

| Temperature measurements, (°C) | | | | | | | |
|--------------------------------|---------|-------------------|--------|--------|-------|---------------------|-------|
| Part | Ambient | Cl. 12.4 – normal | | | | Cl. 12.5 – abnormal | |
| | | test 1 | test 2 | test 3 | limit | test 4 | limit |
| Supply cord | 45 | -- | 50,4 | -- | 90 | -- | -- |
| tc of LED driver | 45 | -- | 63,4 | -- | 90 | -- | -- |
| Output wire of LED driver | 45 | -- | 56,2 | -- | 90 | -- | -- |
| LED PCB | 45 | -- | 71,6 | -- | 130 | -- | -- |
| Internal wire near LED | 45 | -- | 70,2 | -- | 90 | -- | -- |
| LED cover | 45 | -- | 64,5 | -- | Ref. | -- | -- |
| Mounting surface | 45 | -- | 56,5 | -- | 90 | -- | -- |



Shenzhen Southern LCS Compliance Testing Co., Ltd.
 Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



| IEC 60598-2-24 | | | | | | | |
|--|--------------------|----|------|-----------------|-----|----|---------|
| Clause | Requirement + Test | | | Result - Remark | | | Verdict |
| Horizontal side of enclosure | 45 | -- | 68,2 | -- | 90 | -- | -- |
| Vertical side of enclosure | 45 | -- | 65,1 | -- | 150 | -- | -- |
| Vertical side of enclosure which near the wall | 45 | -- | 62,3 | -- | 90 | -- | -- |
| Supplementary information: | | | | | | | |



Shenzhen Southern LCS Compliance Testing Co., Ltd.
Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Attachment No.1

Photo Documentation

Model: RNSHB100CE0HPS4KD120



Photo 1



Photo 2





Attachment No.1

Photo Documentation



Photo 3




Photo 4





Attachment No.1

Photo Documentation



Photo 5



Photo 6



Shenzhen Southern LCS Compliance Testing Co., Ltd.
Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Attachment No.1

Photo Documentation



Photo 7




Photo 8





Attachment No.1

Photo Documentation



Photo 9



Photo 10





Attachment No.1

Photo Documentation



Photo 11

-----End of Test Report-----



Shenzhen Southern LCS Compliance Testing Co., Ltd.
Add: Room 101-201, Building 39, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-29871520 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity